Determination of Public Land (Rangeland) Health for 65059 COMANCHE HILL SOUTH

The Record of Decision (ROD) for the New Mexico Standards for Public Land Health and Guidelines for Livestock Grazing Management (dated January 2001) adopted three Standards for Public Land Health. These are (1) Upland Sites Standard, (2) Biotic Communities, Including Native, Threatened, Endangered, and Special Status Species Standard and (3) Riparian Sites Standard.

The ROD also established a process for the BLM Field Offices for the implementation. Through a public participation process, the Roswell Field Office developed and adopted indicators to use in conjunction with existing monitoring data to assess these standards.

Field assessment worksheets and other available data that evaluate the local indicators were completed for this allotment. Based on the assessments, it is my determination that the public land within the Comanche Hill South allotment #65059 meets the Upland Sites standard and (2) Biotic Communities, including Native, Threatened, Endangered and Special Status Species standard. The southern site has small and limited riparian areas on public land that meet the Riparian standard.

/s/ T. R. KREAGER
Assistant Field Manager

08/10/2004

Date

Standards of Public Land Health Evaluation of 65059 COMANCHE HILL SOUTH Allotment [03/17/2004]

The Roswell Field Office conducted rangeland health assessments at two (2) study sites within the Comanche Hill South Allotment #65059. The assessments looked at the Soil/Site Stability, Hydrologic Function and Biotic Integrity indicators within the vicinity of each study site. Existing monitoring data was incorporated into and in support of the field assessment. The summary of each assessment is attached and shown in the following table.

Study Area	UPLAND	BIOTIC			RIPARIAN			
or Assessment Area	Meets		Meets	Monitor an Indicator	Does Not Meet	Meets	Monitor an Indicator	Does Not Meet
65059-DF18- C050	X		X			N/A		
65059-NM21- C051	X		X			X		

Twenty-two (22) indicators for Rangeland Health were evaluated for the Comanche Hill South allotment; 10 of these assessed soil/site stability, 11 assessed hydrologic functions and 13 assessed biotic integrity. These qualitative assessments along with quantitative information from two areas on the allotment were utilized to assess the rangeland health of the public land within the allotment. This allotment is a "C" category (custodial) because of the small amount of public land within the allotment.

The indicators on the northern site rated in the None to Slight to Moderate categories. But none of these exhibit any real concern at the moment. Favorable precipitation events would further augment this site's potential. The low presence of grama grasses is evident however on this soil type tobosa and burrogras may dominate. However the reproductive capability of the perennial plants to reproduce was not limited. There was a generous amount of physical crusting which may be holding the soil in place until favorable climatic conditions return. This site is a Loamy SD-3 and exhibits some prickly pear (Opuntia spp.) encroachment but not to the level of limiting this site's potential.

The gypsic soils of the HOLLOMEX-Gypsumland association greatly influence the vegetative community found on this site. Tobosa, burrograss and gyp gramas are dominant. Gyp Upland ecological site inclusions are scattered within this area. These inclusions are on the more shallow to very shallow soil.

The northern site lies on the upland slopes above the Pecos River. The slopes above the river are steep and have naturally occurring drainages with some being quite large with steep side slopes. The bottoms of these drainages are vegetated with alkali sacaton and giant sacton grasses.

The tracts of public land in the southern part of the allotment support Gyp Upland SD-3 ecologicaical sites on the upper slopes and grade into a Salt Flats SD-3 ecological site in the lower area. Large bare patches with a salt crust are prevalent in the lower areas; alkali sacaton dominates in bands around these areas.

A series of alkaline lakes occur on the private and state land along the Pecos River flood plains in this area. To this extent the Riparian standard may be applied to this area.

Wildlife/Biotic - Evalution of the integrity of the biotic community considered several indicators as attribute indices for the area of interest. Biotic indicators are interrelated with several other indicators, including soil/site stability, hydrologic function, and vegetation. Several indicators are singularly biotic and address the vegetation aspect of the ecological site, such as Fuctional/Structural Groups and Plant Morality & Decadence, as described above. In addition to the standard worksheet biotic factors, four specific wildlife indicators are included in the biotic evaluation.

The area lies east of the Pecos River on the Comanche escarpment. Access is limited due to land status pattern.

Hydrology - Pasture DF18 - The pedestals and/or terracette indicator rated as moderate. The recent dry conditions in combination with wind and water erosion has possibly decreased the amount of plant cover and possibly decreased infiltration into the soils which may have increased the amount of pedestaling of plants and rocks. The bare ground indicator rated as moderate. The amount of bare ground has possibly increased due to recent dry conditions and also wind and water erosion processes. The litter amount rated in the moderate category. The decrease in litter amount suggests that the dry conditions have had a negative affect on the growing conditions which decreases the amount of litter that is produced. Additionally, the decrease in litter amount can have the effect of increasing the amount of bare soil. All other indicators rated as none to slight or slight to moderate. Gypsum, mudstone, and dolomite deposits of the Seven Rivers Formation outcrop in the area.

Pasture NM21 - The pedestals and/or terracette indicator rated as moderate. The recent dry conditions in combination with wind and water erosion has possibly decreased the amount of plant cover and possibly decreased infiltration into the soils which may have increased the amount of pedestaling of plants and rocks. The bare ground indicator rated as moderate. The amount of bare ground has possibly increased due to recent dry conditions and also wind and water erosion processes. Soil surface resistance to erosion rated in the moderate category. Organic matter is lacking on this site, but this is expected for an area that has a small amount of litter present. The soil surface loss or degradation has rated out as moderate. The recent dry conditions, decrease in the strength of physical

crusts and or absence of soil crusts, wind velocity, surface dryness, and the decreased amount of surface plant cover has possibly increased soil surface loss to degradation. The litter amount rated in the moderate category. The decrease in litter amount suggests that the dry conditions have had a negative affect on the growing conditions which decreases the amount of litter that is produced. Additionally, the decrease in litter amount can have the effect of increasing the amount of bare soil. Gypsum, mudstone, and dolomite deposits of the Seven Rivers Formation outcrop in the area. Sand and gravel deposits of Quaternary deposits outcrop in the area. It is the professional opinion of the Assessment Team. that the public land within the Comanche Hill South allotment meet the Upland and Biotic standards. South area meets the Riparian standard.

Recommendations:

RFOs	Upland	and Biotic Standa	rd A	Asses	ssment S	umma	ary	Worksho	eet
		SITE 6505	59-I)F18	-C050				
Legal La	nd Desc	NENE 1 0110S 0250I Meridian 23	3	Acreage		creage	496		
	Ecosite	042CY007NM LOAMY SD-3			Photo	Taken	N		
Wa	atershed	13060007010 GOPHI	ΞR						
Ol	oservers	SPAIN/NAVARRO		(Observation	n Date	03/	17/2004	
County Soil	Survey	NM666 CHAVES SOUTH			Soil Var/	Taxad			
Soil M	Iap Unit	HrC		S	oil Taxon	Name	НО	LLOMAN	Ţ
Textu	re Class	NM666 L			Soil	Phase		LLOMAN PSUM LA	
Texture N	Modifier	NM666 LOAM							
	ved Avg Annual ipitation			Observed Avg Growing Season Precipitation					
	Annual ipitation	11.27			NOAA Growing Season Precipitation		1 / b /		7.64
	AA Avg Annual ipitation	13.53		NOAA Avg Growing Season Precipitation		_			11.18
Disturbar Anin	nces and nal Use:								
Part 2. Attı	ributes a	and Indicators							
					e from Eco on/Ecolog				
Attribute	Indicato	ors		trem e	Moderat e to Extreme	Mode e	erat	Slight to Moderat e	None to Slight
SH	Rills							X	
Comments :		Naturally occurring rills and gull the bottoms			uring on w	est sid	le or	ı slopes ab	ove
SH	Water F	low Patterns						X	
Comments :									
SH	Pedesta	ls and/or Terracettes				X			

Comments :						
SH	Bare Ground			X		
Comments :	Toward upper end of range. In	ıfluenced	by drough	t condition	ıs	
SH	Gullies					X
Comments :	Gullies are natural part and ha	ve vegeta	tive cover			
S	Wind-scoured, Blowouts, and/or Deposition Areas					X
Comments :						
Н	Litter Movement				X	
Comments :						
SHB	Soil Surface Resistance to Erosion				X	
Comments :						
SHB	Soil Surface Loss or Degradation				X	
Comments :						
Н	Plant Community Composition and Distribution Relative to Infiltration and Runoff				X	
Comments :						
SHB	Compaction Layer					X
Comments :						
В	Functional/Structural Groups				X	
Comments :	ATCA2, Ephedra, HIMU2, So	Cbr2, Opu	ntia, MUT	O2, BOB	R and YU	CCA
В	Plant Mortality/Decadence					X
Comments :	Less than 20%					
НВ	Litter Amount			X		

Comments :	Lower end of range					
В	Annual Production			X		
Comments :	40 to 60% 0f potential					
В	Invasive Plants			X		
Comments :	Scattered mesquite, opuntia ar	nd some th	nistle			
В	Reproductive Capability of Perennial Plants				X	
Comments :						
S	Physical/Chemical/Biologica l Crusts				X	
Comments:	Bothe physical and biological soils	crusts. Bi	ological cr	ust is influ	ence by th	ie gyp
В	Wildlife Habitat				X	
Comments:						
В	Wildlife Populations				X	
Comments :						
В	Special Status Species Habitat					X
Comments:	None known to occur					
В	Special Status Species Populations					X
Comments :	None known to occur					
Part 3. Sun	nmary					
A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for each of the Standard Attributes.						
			7.5.1		GI: 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Standard Attribute		Extrem e	Moderat e to Extreme	Moderat e	Slight to Moderat	None to Slight

S	Soil	0	0	2	5	3
Н	Hydrologic	0	0	3	6	2
В	Biotic	0	0	3	6	4

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meet s
Soil		0	2	8
Hydrologic		0	3	8
Biotic		0	3	10

Site Notes: Pronghorn observed. Evidence of rodent/rabbits.

RFOs	Upland	and Biotic Standa	rd	Asses	ssment S	umma	ary	Worksh	eet	
		SITE 6505	9-N	NM2	1-C051					
Legal La	nd Desc	NESW 11 0110S 0250 Meridian 23	ÞΕ		A	creage	596			
	Ecosite	042CY036NM SALT FLATS SD-3			Photo	Taken	Y			
Wa	itershed	13060007010 GOPHE	ER							
Ot	servers	SPAIN/NAVARRO		(Observation	n Date	03/	17/2004		
Cou		NM666 CHAVES SOUTH		Soil Var/Taxad						
Soil M	ap Unit	Нр		S	Soil Taxon	Name	НО	LLOMAN	1	
Textu	re Class	NM666 L			Soil	Phase		LLOMAN PSUM LA		
Texture N	1odifier	NM666 LOAM								
	bserved Avg Annual Precipitation Observed Avg Growing Sease Precipitation		Season							
NOAA Preci	Annual pitation	11	.27	1	NOAA Growing Season Precipitation		/ n		7.64	
	AA Avg Annual pitation	13	.53		AA Avg Gr son Precip				11.18	
Disturban Anin	ces and nal Use:									
Part 2. Attı	ibutes a	and Indicators								
					e from Eco ion/Ecolog					
Attribute	Indicato	ors	Ex	trem e	Moderat e to Extreme	Mode e	erat	Slight to Moderat e	None to Slight	
S H	Rills								X	
Comments :						1		1		
SH	Water F	Flow Patterns						X		
Comments :						1				

SH	Pedestals and/or Terracettes		X		
Comments :					
SH	Bare Ground		X		
Comments :					
SH	Gullies				X
Comments :					
S	Wind-scoured, Blowouts, and/or Deposition Areas				X
Comments :					
Н	Litter Movement			X	
Comments :					
SHB	Soil Surface Resistance to Erosion		X		
Comments :					
SHB	Soil Surface Loss or Degradation		X		
Comments :					
Н	Plant Community Composition and Distribution Relative to Infiltration and Runoff			X	
Comments :					
SHB	Compaction Layer			X	
Comments :	More compaction may occur if	f livestock are cor	ncentrated dr	ing wet pe	eriods.
В	Functional/Structural Groups			X	
Comments :	ATCA2 missing and some salt	cedar is present			
В	Plant Mortality/Decadence				X
Comments :					


НВ	Litter Amount			X				
Comments :								
В	Annual Production			X				
Comments :								
В	Invasive Plants			X				
Comments :	Mesquite							
В	Reproductive Capability of Perennial Plants					X		
Comments :								
S	Physical/Chemical/Biologica l Crusts				X			
Comments :	Physical, Chemical (salt) and biologica crusts are present.							
В	Wildlife Habitat				X			
Comments :								
В	Wildlife Populations				X			
Comments :								
В	Special Status Species Habitat					X		
Comments :	None known to occur							
В	Special Status Species Populations					X		
Comments :	None known to occur							
Part 3. Sun	Part 3. Summary							
	A. Indicator Summary - Each of the indicators are associated with one or more of the attributes below. An indicator is placed in a category (columns) above and summed for							
	Standard Attributes.							
Standard Attribute		Extrem e	Moderat e to	Moderat e	Slight to Moderat	None to		


			Extreme		e	Slight
S	Soil	0	0	4	3	3
Н	Hydrologic	0	0	5	4	2
В	Biotic	0	0	5	4	4

B. Attribute Summary. In this table, the Extreme and Extreme to Moderate columns in the table above are merged for the *Does not Meet* column, Moderate becomes *May Need More Info*, and Slight to Moderate and None to Slight merge to form the *Meets* columns. Values from the table are summarized below. Space is provided for rationale of the determination. This space should most certainly be used when the determination by the ID team conflicts with the summarized values. Provide the sources of information that lead to the determination. X out the appropriate box for each attribute to denote final agreed upon determination by the ID team.

Attribute	Rationale	Does Not Meet	May Need More Info	Meet
Soil		0	4	6
Hydrologic		0	5	6
Biotic		0	5	8
Site Notes:				

Comanche Hill South Northern Site





Comanche Hill South Southern Site







Rangeland Health Assessment Ecological Sites



